

**9TH INTERNATIONAL CONFERENCE
MINING AND ENVIRONMENTAL PROTECTION**

**MEP 23
PROCEEDINGS**



**9. Međunarodna konferencija
RUDARSTVO I ZAŠTITA ŽIVOTNE SREDINE
Zbornik radova**

**Sokobanja
24-27.05.2023.**



9th International Conference

MINING AND ENVIRONMENTAL PROTECTION

24. – 27. May 2023., Sokobanja, Serbia

MINING AND ENVIRONMENTAL PROTECTION

PROCEEDINGS

Editor
Prof. dr Ivica Ristović

Sokobanja

24-27th May 2023.

FOREWORD

After the consultations with business entities in the field of mining and environmental protection, faculties and scientific institutes, an initiative for organizing a scientific meeting on mining and environmental protection was taken in 1996. The Faculty of Mining and Geology in Belgrade, CENTER FOR ENVIRONMENTAL ENGINEERING, have organized the First Yugoslav Conference with International participants held from 25 to 27 April 1996. in Belgrade, Serbia. The second International Symposium was held in Belgrade from 25 to 27 May 1998. The third Symposium was held in Vrdnik from 21 to 23 May 2001. The fourth International Symposium was held in Vrdnik from 23 to 25 June 2003. Due to the large number of subjective and objective reasons organization of the symposium was discontinued in 2003. Fifth International Symposium was held in Vrdnik from 10 to 13 June 2015. The sixth International Symposium was held in Vrdnik from 21 to 24 June 2017. The seventh International Symposium was held in Vrdnik from 25 to 28 September 2019. and the eighth International Conference was held in Soko Banja from 22 to 25 September 2021.

On the basis of the conclusions made at the 8th Conference MEP 2021 and great interest of domestic and foreign scientific and professional public, the Faculty of Mining and Geology in Belgrade, in cooperation with co-organizers (Berg Faculty TU Košice, Slovakia, University of Ljubljana, Faculty of Natural Sciences and Engineering, Slovenia, Goce Delčev University in Štip, N. Macedonia, Geological Survey of Slovenia, Ljubljana, Slovenia, University in Banja Luka, Faculty of Mining, Prijedor, Republic of Srpska, Bosnia & Herzegovina and Association of Mining and Geology Engineers), shall organize the 9th International Conference Mining and Environmental Protection – MEP 2023.

The previous Symposium, were very successful and scientist and companies from many countries gathered to exchange information and research results. The objective of this Conference is to bring together engineers, scientists and managers working in mining industry, research organizations and government organizations, on development and application of best practice in mining industry in the respect of environment protection.

At the Book of Proceedings of 9th International Conference on Mining and Environmental Protection are 56 Papers. Almost half is from abroad, or their authors is from different countries. At least 166 authors and co-authors took part in the preparation of these papers. The papers were reviewed by Reviewers. Only high-quality papers were selected, from two side, one from the scientific basis and the second from point of view of applicability in resolving problems at the development of mining.

We are very grateful to the authors of the papers, who contributed to a great extent to the success of this meeting by having sent enough number of high-quality papers, and thereby made the work of the reviewers a pleasant one in respect of selecting the best quality papers. Also, we would like to thank all of the participants in the Conference, as well as the sponsors who helped and enabled us to hold such a great meeting.

Editor

PROCEEDINGS

9th International Conference **MINING AND ENVIRONMENTAL PROTECTION**

Editor: prof. dr Ivica Ristović, Faculty of Mining and Geology, Belgrade

Reviewers:

dr Robert Šajn, Geological Survey of Slovenia, Ljubljana, Slovenia, dr Milan Kragović, Institute of Nuclear Sciences, Vinča, Serbia, dr Marija Stojmenović, Institute of Nuclear Sciences, Vinča, Serbia, dr Aleksandar Cvjetić, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Radule Tošović, Faculty of Mining and Geology, University of Belgrade, Serbia, dr Jasminka Alijagić, Geological Survey of Slovenia, Ljubljana, Slovenia, dr Gorazd Žibret, Geological Survey of Slovenia, Ljubljana, Slovenia, dr Predrag Lazić, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Vieroslav Molnar, BERG Faculty, TU Košice, Slovakia, dr Gabriel Fedorko, BERG Faculty, TU Košice, Slovakia, dr Zoran Despodov, Goce Delčev University Štip, N. Macedonia, dr Jelena Gulicovski, Institute of Nuclear Sciences, Vinča, Serbia, dr Dragan Radulović, ITNMS, Belgrade, Serbia, dr Dejan Ivezić, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Željko Vukelić, University of Ljubljana, Faculty on Natural Sciences and Engineering, Ljubljana, Slovenia, dr Goran Vižintin, University of Ljubljana, Faculty on Natural Sciences and Engineering, Ljubljana, Slovenia, dr Irma Dervišević, University of Priština, Faculty of Technical Sciences, Kosovska Mitrovica, Serbia, dr Marija Živković, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Vladimir Milisavljević, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Predrag Jovančić, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Domenico Guida, University of Salerno, Italy, dr Vladimir Čebašek, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Jelena Majstorović, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Miloš Tanasijević, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Ranka Stanković, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Jelena Đokić, University of Priština, Faculty of Technical Sciences, Kosovska Mitrovica, Serbia, dr Ivica Ristović, University of Belgrade, Faculty of Mining and Geology, Serbia.

Editorial Board: *dr Marija Živković, dr Dragana Nišić, dr Milanka Negovanović, dr Ivana Vasiljević, dr Danica Srećković Batočanin, dr Biljana Abolmasov, dr Ranka Stanković, Marina Bukavac, dr Nevenka Đerić, and dr Suzana Lutovac.*

Publisher: *University of Belgrade, Faculty of Mining and Geology, Belgrade, Serbia*

For publisher: *Prof. dr Biljana Abolmasov, Dean*

Technical design: *M.Sc. Emilija Širadović*

Printed by: *SaTCIP, Vrnjackska Banja, 2023.*

Copies: *200*

ISBN 978-86-7352-389-7

The publication of this Proceedings approved by the Council of Faculty of Mining and Geology, University of Belgrade.

All Papers in Proceedings are reviewed.

This Proceedings was published with the financial assistance of the Ministry of Science, Technological Development and Innovation of Republic of Serbia.

ORGANIZER

UNIVERSITY OF BELGRADE, FACULTY OF MINING AND GEOLOGY, Belgrade
Center for environmental engineering, Mining Department
www.rgf.bg.ac.rs

COORGANIZERS

BERG FACULTY TU KOŠICE, SLOVAKIA
www.fberg.tuke.sk

UNIVERSITY OF LJUBLJANA, FACULTY OF NATURAL SCIENCES AND
ENGINEERING, SLOVENIA
www.ntf.uni-lj.si

GOCE DELČEV UNIVERSITY IN ŠTIP, MACEDONIA
www.ugd.edu.mk

GEOLOGICAL SURVEY OF SLOVENIA, LJUBLJANA, SLOVENIA
www.geo-zs.si

UNIVERSITY OF BANJA LUKA, FACULTY OF MINING ENGINEERING, PRIJEDOR,
REPUBLIC OF SRPSKA, BOSNIA AND HERZEGOVINA
www.rf.unibl.org

ASSOCIATION OF MINING AND GEOLOGY ENGINEERS
<https://sirgs.org.rs>

SCIENTIFIC COMMITTEE

dr Noam Lior, University of Pennsylvania, USA, dr Jorge Luis Loreda Perez, University of Oviedo, Oviedo, Spain, dr Srećko Stopić, RWTH Aachen University, Aachen, Germany, dr Adolfo Senatore, University of Salerno, Fisciano, Italy, dr Domenico Guida, University of Salerno, Fisciano, Italy, dr Michal Cehlár, BERG Faculty, TU Kosice, Slovakia, dr Andrea Rosová, BERG Faculty, TU Kosice, Slovakia, dr Daniela Marasová, BERG Faculty, TU Kosice, Slovakia, dr Gabriel Fedorko, BERG Faculty, TU Kosice, Slovakia, dr Vierošlav Molnár, BERG Faculty, TU Kosice, Slovakia, dr Marian Sofrako, BERG Faculty, TU Kosice, Slovakia, dr Nikoleta Husakova, BERG Faculty, TU Kosice, Slovakia, dr Željko Vukelić, University of Ljubljana, Faculty on Natural Sciences and Engineering, Ljubljana, Slovenia, dr Goran Vižintin, University of Ljubljana, Faculty on Natural Sciences and Engineering, Ljubljana, Slovenia, dr Janez Rošer, University of Ljubljana, Faculty on Natural Sciences and Engineering, Ljubljana, Slovenia, dr Damjan Hann, University of Ljubljana, Faculty on Natural Sciences and Engineering, Ljubljana, Slovenia, dr Robert Šajn, Geological Survey of Slovenia, Ljubljana, Slovenia, dr Jasminka Alijagić, Geological Survey of Slovenia, Ljubljana, Slovenia, dr Gorazd Žibret, Geological Survey of Slovenia, Ljubljana, Slovenia, dr Kristina Žužek Rožman, Institut Jožef Štefan, Ljubljana, Slovenia, dr Gasper Tavčar, Institut Jožef Štefan, Ljubljana, Slovenia, dr Zoran Despodov, FPTN, Štip, N. Macedonia, dr Dejan Mirakovski, FPTN, Štip, N. Macedonia, dr Vladimir Malbašić, University of Banja Luka, Faculty of Mining Engineering, Prijedor, Republic of Srpska, dr Lazar Stojanović, University of Banja Luka, Faculty of Mining Engineering, Prijedor, Republic of Srpska, dr Valentin Nedeff, Faculty of Engineering, University of Bacău, Romania, dr Liviu Moldovan, Petru Maior University of Tîrgu Mureş, Tîrgu Mureş, Romania, dr Alexandru-Viorel Pele, University of Oradea, Faculty of Management and Technological Engineering, Romania, dr Nikolae Ilias, University of Petrosani, Romania, dr Raycho Ilarionov Technical University of Gabrovo, Bulgaria, dr Jiri Fries, VŠB Technical University of Ostrava, Ostrava, Czech Republic, dr Hana Neradilová, VŠLG, Praha, Přerov, Bratislava, Czech Republic, dr Iveta Dočkaliková, VŠLG, Praha, Přerov, Bratislava,

Czech Republic, dr Sibila Borojević Šoštarić, University of Zagreb, Faculty of Mining, Geology and Petroleum Engineering, Croatia, dr Marta Mileusnić, University of Zagreb, Faculty of Mining, Geology and Petroleum Engineering, Croatia, dr Nediljka Gaurina Međimurec, Faculty of Mining, Geology and Petroleum Engineering, Croatia, dr Karolina Novak Mavar, University of Zagreb, Faculty of Mining, Geology and Petroleum Engineering, Croatia, dr Vlatko Marušić, TU Osijek, Croatia, dr Tatjana Stanivuk, Faculty of Maritime Studies, University of Split, Croatia, dr Marija Stoimenović, Institute of Nuclear Sciences, Vinca, Belgrade, Serbia, dr Milan Kragović, Institute of Nuclear Sciences, Vinca, Belgrade, Serbia, dr Jelena Gulicovski, Institute of Nuclear Sciences, Vinca, Belgrade, Serbia, dr Miroslav Sokić, ITNMS, Belgrade, Serbia, dr Dragan Radulović, ITNMS, Belgrade, Serbia, dr Gordana Stefanović, University of Niš, Faculty of Mechanical Engineering, Niš, Serbia, dr Nebojša Arsić, Faculty of Technical Sciences, Kosovska Mitrovica, Serbia, dr Srđan Jović, Faculty of Technical Sciences, Kosovska Mitrovica, Serbia, dr Gordana Milentijević, Faculty of Technical Sciences, Kosovska Mitrovica, Serbia, dr Ružica Božović, Faculty of Technical Sciences, Kosovska Mitrovica, Serbia, dr Milenko Petrović, Faculty of Technical Sciences, Kosovska Mitrovica, Serbia, dr Ivica Jakovljević, Faculty of Technical Sciences, Kosovska Mitrovica, Serbia, dr Irma Dervišević, Faculty of Technical Sciences, Kosovska Mitrovica, Serbia, dr Nataša Elezović, Faculty of Technical Sciences, Kosovska Mitrovica, Serbia, dr Biljana Abolmasov, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Aleksandar Milutinović, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Radule Tošović, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Aleksandar Cvjetič, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Zorica Lazarević, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Vladimir Čebašek, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Vesna Ristić-Vakanjac, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Nikola Lilić, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Dragan Ignjatović, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Predrag Lazić, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Vladimir Milisavljević, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Tomislav Šubaranović, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Aleksandra Tomić, University of Belgrade, Faculty of Mining and Geology, Serbia, dr Ivica Ristović, University of Belgrade, Faculty of Mining and Geology, Serbia.

ORGANISING COMMITTEE

President of the organising committee: dr. Ivica Ristović, Belgrade, Serbia

Vice presidents of the organising committee: dr Gabriel Fedorko, Košice, Slovakia, dr Goran Vižintin, Ljubljana, Slovenia, dr Robert Šajn, Ljubljana, Slovenia, dr Zoran Despodov, Štip, Republic of Macedonia, dr Vladimir Malbašić, Prijedor, RS, Bosnia and Herzegovina, dr Tomislav Šubaranović, Belgrade, Serbia.

Organizing committee: dr Nikoleta Husakova, Košice, Slovakia, dr Jozef Cambal, Slovakia, dr Jan Feher, Slovakia, dr Damjan Hann, Slovenia, dr Zoran Despodov, Štip, Republic of Macedonia, dr Nataša Elezović, Kosovska Mitrovica, Serbia, dr Vladimir Milisavljević, Belgrade, Serbia, dr Dragana Nišić, Belgrade, Serbia, dr Stevan Đenadić, Serbia, dr Krstimir Pantić, Kosovska Mitrovica, Serbia, MSc Milena Lekić, Belgrade, Serbia, MSc Andrijana Nedeljković, Belgrade, Serbia, MSc Neda Nišić, Belgrade, Serbia, MSc Miodrag Ristović, Belgrade, Serbia, MSc Uroš Pantelić, Belgrade, Serbia, MSc Luka Crnogorac, Belgrade, Serbia, MSc Emilija Širadović, Belgrade, Serbia, MSc Radmila Lišanin, Serbia, BSc Ognjen Adamović, Serbia, BSc Nadežda Petrović, Lazarevac, Serbia, BSc Nevena Stojković, Serbia, BSc Natalija Pavlović, Serbia, Nevena Djurdjev, Serbia, Maja Petrović, Serbia.

Suzana Lutovac, Miloš Gligorić, Jelena Majstorović, Luka Crnogorac:	
<i>Analysis of a simplified model for determining rock mass oscillation velocity at the Kovilovača open pit</i>	196
Snezana Savkovic, Jelena Majstorovic:	
<i>Theory of decision-making between subjectivity and objectivity in conditions of uncertainty (in mining)</i>	205
Slobodan Kokerić, Dejan Dramlić, Nemanja Stanisavljević, Zoran Aksentijević, Dražana Tošić, Jelena Trivan:	
<i>Coal mining system in the conditions of the "Soko" Sokobanja black lignite deposit</i>	212
Đorđe Fići, Miljana Milković, Daniel Radivojević, Zoran Aksentijević, Slobodan Kokerić:	
<i>Hydrogeological opportunities in the conditions of the coal deposit of mine "Soko" in Sokobanja</i>	221
Aleksandra Tomić:	
<i>Impact of mining waste on the environment in the Republic of Serbia</i>	227
Radule Tošović:	
<i>The relationship between environmental costs and direct economic effects of valorization of mineral raw materials from ore deposits</i>	233
Natalija Pavlovic, Ivan Jankovic, Tomislav Subaranovic:	
<i>Conceptual solution of recultivation for the next 12 years at the dacite open pit mine Ceramide dump near Rudnik</i>	241
Sanja Bajić, Dragoljub Bajić, Branko Gluščević, Radmila Gaćina:	
<i>Application of Vikor method in the selection of an optimal solution of excavation "Borska Reka" ore deposit</i>	247
Radmila Gaćina, Bojan Dimitrijević, Sanja Bajić:	
<i>Conversion of land areas after coal mine closure and reclamation</i>	252
Nevena Stojković, Milutin Đorđević:	
<i>Calculation of discontinuous transport for transport of mineral raw materials in mine "Grot"</i>	259
Veljko Savić, Vladimir Topalović, Jelena Nikolić, Srdjan Matijašević, Marija Djošić, Snežana Zildžović, Snežana Grujić:	
<i>Recycling of glass waste into foam glass: a review</i>	267
Milica Tomović, Irma Dervišević, Dragan Manojlović, Jelena Đokić, Marija Janačković:	
<i>The effect of an abandoned asbestos mine on environmental pollution</i>	273
Miroslav Čantrak, Vasilije Gašić:	
<i>Construction waste management in the Republic of Serbia</i>	281
Irina Kandić, Milan Kragović, Jelena Gulicovski, Katarina Nikolić, Neda Nišić, Vesna Karadžić, Marija Stojmenović:	
<i>Removal of potentially toxic cyanobacteria by using activated carbons obtained from biowaste</i>	286
Irina Kandić, Milan Kragović, Jelena Petrović, Peđa Janačković, Milan Gavrilović, Miloš Momčilović, Marija Stojmenović:	
<i>Assessment of the risk of consumption of toxic metals through herbal infusions</i>	291

Zorica Lopičić, Domenico Morabito, Tatjana Šoštarić, Jelena Milojković, Anja Antanasković, Yassine Chafik, Sylvain Bourgerie:	
<i>The application of biochar onto soils-benefit for overall environment</i>	295
Katarina Nikolić, Andrijana Vasić, Milan Kragović, Milena Rosić, Ivona Janković-Častvan, Marija Stojmenović, Jelena Gulicovski:	
<i>Analysis of chemical and structural features of waste vitreous enamel produced during the heating device manufacturing process</i>	303
Katarina Nikolić, Milan Kragović, Marija Stojmenović, Andrijana Vasić, Irina Kandić, Neda Nišić, Jelena Gulicovski:	
<i>Activated carbon from almond pits as low-cost material for electrochemical application</i>	308
Neda Nišić, Milan Kragović, Jelena Gulicovski, Katarina Nikolić, Andrijana Vasić, Milan Žunić, Marija Stojmenović:	
<i>Characterization of innovative high-temperature resistant adhesives with addition of aluminosilicate waste</i>	312
Neda Nišić, Milan Kragović, Milan Žunić, Jelena Gulicovski, Andrijana Vasić, Irina Kandić, Marija Stojmenović:	
<i>Application of a new system of solid ionic conductors based on multi-doped ceria as electrolytes for it-sofc technology- test in a single cell</i>	316
Andrijana Vasić, Marija Stojmenović, Katarina Nikolić, Irina Kandić, Jelena Gulicovski, Miodrag Ristović, Milan Kragović:	
<i>Removal of xanthate from aqueous solutions using modified waste slag as adsorbent</i>	321
Andrijana Vasić, Marija Stojmenović, Katarina Nikolić, Neda Nišić, Jelena Gulicovski, Radmila Lišanin, Milan Kragović:	
<i>Xanthate removal as a function of pH and the point of zero charge</i>	325
Bojana Janežič, Goran Vižintin:	
<i>Review of geothermal potential of low enthalpy resources of pre-neogene aquifers in the Mura - Zala basin through hydrogeological conceptual model</i>	329
Nataša Elezović, Krstimir Pantić:	
<i>Possibilities of introducing environmental management systems (EMS) in SMEs enterprises</i>	335

POSTER SESSION

Daniela Marasová, Dušan Kubala:

Analysis of the integrating sensors possibility in the conveyor belt of the pipe conveyor, taking into account its resistance to abrasion

Daniela Marasová, Marek Moravič:

Experimental research of the conveyor belts flammability with integrated sensors

Roman Hájiček, Peter Bokša, Lubomír Ambriško:

The structure of the application of the knowledge information system for the evaluation of the conveyor belts quality

Dragan S. Radulović, Vladimir D. Jovanović, Dejan Todorović, Branislav Ivošević, Sonja Milićević, Darko M. Božović:

Obtaining a filler based on limestone from the deposit "Glavatske kuće" - Kotor, for use in various industrial branches



TESTING OF GRINDING MEDIA PERFORMANCES AT THE CONDITIONS OF Pb-Zn SMELTING SLAG WET MILLING AND PREDICTION OF BALLS CONSUMPTION BY ANN-BASED MODELS

**Dragan Radulović¹, Ivana Jovanović², Dejan Todorović¹, Vladimir Jovanović¹, Branislav Ivošević¹,
Vesna Conić²**

¹Institute for Technology of Nuclear and Other Mineral Raw Materials (ITNMS), Serbia

²Mining and Metallurgy Institute, Bor, Serbia

d.radulovic@itnms.ac.rs

***Abstract:** This paper describes a part of the experimental procedure for testing the performance of grinding media (steel balls) during the smelting slag milling, as well as the modeling procedure and model results that predict the consumption of balls under given experimental conditions. Firstly, the most suitable mineral raw material for testing the durability of the grinding media was defined. In laboratory conditions, it was determined that it is most expedient to use slag from the melting process of Pb-Zn concentrate for testing. The coarse moisture content was determined on the initial slag sample, while the particle size composition and Bond work index were determined on the crushed slag samples. In accordance with the characteristics of the raw material, the technical-technological parameters of the system for wet grinding of slag were defined, in which the balls durability test was performed. The obtained results showed that the consumption of grinding media is about 1 kg/t of slag. Six ANN models, developed on the basis of experimental results, showed good predictive abilities when it comes to steel balls consumption. As a result of modeling, high correlation coefficients were obtained, the value of which was about $R = 0.99$.*

***Keywords:** grinding media consumption, Pb-Zn smelting slag, ANN model*

1. INTRODUCTION

Grinding is highly used procedure in Pb-Zn mineral processing for reducing particle size. Generally, grinding is the most expensive unit operation because of the high consumption of supplies [1]. It is estimated that approximately between 30% and 50% of overall mining operating costs is related to grinding [2, 3].

According to Díaz et al. (2018), the most important supplies in wet grinding are water, energy and steel, both for mill liners and grinding media. Discussing about cost management, they state that water cost can be minimized through improvements in solid-liquid separation and water recovery, energy cost is heavily dependent on the countries power supply system, and therefore special attention should be paid to the management of costs caused by the consumption of liners and grinding media [1].

Various dimensions grinding media are used in ball mills to achieve sufficient particle size reduction and mineral liberation for downstream separation processes. Particle breakage is attained by the collisions between the ore and the grinding media. During the interaction of ore and grinding media, a complex physical and chemical system is formed, causing changes in particle size, pulp chemistry, surface chemistry, and crystal structure of minerals [4].

It has been known that the total wear of grinding media in ball mills include mechanisms of impact, abrasion and corrosion, the latter being predominating in wet grinding, reaching between 10% and 50% of the overall steel grinding media consumption [1, 5]. Therefore, good grinding media should have high hardness, fracture toughness, wear resistance and corrosion resistance, but at the same time, it should have adequate ductility to minimize sudden ruptures and chipping [4].

Grinding media can be classified according to the materials used to manufacture them. The chemical composition and process conditions during the manufacturing of grinding media determine its microstructure, which directly affects the grinding media quality. Spherical balls are manufactured using cast iron, low-alloy and high-alloy carbon steels. Alloy steels are usually made by the addition of alloying elements like chromium, aluminium, manganese, and silica [4].

In this paper studies, balls made of iron alloys with vanadium and niobium, which have high wear resistance, were used.

According to Aldrich, the consumption of grinding media has been studied extensively in the mineral process industries, where steel balls and rods are mostly used to reduce rock fragments and ore particles to the fine sizes required for mineral liberation and further downstream processing. Apart from a better understanding of the phenomena involved in the wear of grinding media, many studies were also aimed at the development of models capable of predicting media consumption based on an understanding of the mechanisms involved in the process [3].

Part of the research presented in this paper also represents an attempt to develop models that predict the consumption of the grinding media, based on experimental results. The models are developed using artificial neural networks (ANN) technique.

ANNs are used for solving complex and nonlinear engineering problems. ANN is a widely used model in mineral processing applications with the ability to recognize patterns among parameters and predict the key performance parameters of the processes. A typical ANN comprises a large number of neurons or nodes, which are connected to each other. The neurons are grouped in layers and connected by weighted links and bias. The output of each neuron is transferred to the next layer as an input. Finally, the nonlinear basis function set is used to calculate the outputs of ANN. The model learning is modifying the weights and biases to minimize the error, taking into account the targets [6].

2. MATERIALS AND METHODS

2.1 Characterization of slag

Ball durability tests were performed on a sample of Pb-Zn slag from the "Smelter – Probištip Veles" landfill, North Macedonia. The initial sample of slag, size $-50.00+0.00$ mm, was homogenized and samples were taken out for determination of coarse moisture. The homogenized sample was then crushed in two stages to the size of $-3.36+0.00$ mm. After crushing, the slag sample was homogenized again and a sample was taken from it using the chess board method to determine the Bond work index. The remaining part of the slag sample, size $-3.36+0.00$ mm, was used to test the durability of the balls during wet grinding, that is, it was the starting point for determining the consumption of the grinding media.

Coarse moisture content was determined on three initial samples of Pb-Zn slag, size $-50.00+0.00$ mm. All three samples were dried at room temperature for 24 hours. The obtained result represents the arithmetic mean of the measured values for each of the three samples. The measurements showed that in the initial samples of Pb-Zn slag, the coarse moisture content was 0.0924%.

The particle size composition of the crushed sample of Pb-Zn slag with a size of $-3.36+0.00$ mm was determined by sieving on a Tyler series of sieves, using a standard procedure. All oversizes, together with the undersize of the last sieve, were individually measured, and the results are shown in Figure 1.




Figure 1. Particle size composition of Pb-Zn smelting slag "Smelter – Probištip Veles":
blue – undersize curve; pink – incremental curve

It can be seen from Figure 1 that d_{80} of the crushed sample is 730 μm , while d_{50} is 380 μm . This sample was the starting sample for determining the ball mill Bond work index of the slag. The procedure was carried out according to the standard Bond methodology, and the obtained value was $W_i = 28.34$ kWh/t. Given that slag has a high W_i value, it can be concluded that it is a suitable material for testing the consumption and strength of balls in more difficult grinding conditions than is usual for natural metallic mineral raw materials [7 – 9].

2.2 Grinding media properties

Three identical batches of grinding balls (of the same dimensions and of the same alloy composition) cast in the Foundry Laboratory TMF – Belgrade were used as grinding media whose durability was tested under wet grinding conditions. The entire batch of tested balls was cast in accordance with the defined parameters of the existing grinding media in the pilot plant ball mill of the Center for mineral processing, ITNMS. In other words, each batch of cast balls was identical to the existing balls that make up the batch in the pilot plant mill, in terms of their number and dimensions. The balls for these tests were obtained by alloying iron with vanadium and niobium. The basic characteristics of one batch are given in Table 1.

Table 1. Properties of grinding media

Total number of balls	Range of ball sizes, mm	Grinding media mass, kg	Grinding media surface, m^2	Grinding media volume, dm^3	Ball density, g/cm^3
301	64 – 16.6	87.5	1.56	11.9	7.38

2.3 Experimental conditions

The durability of the balls (their consumption) was tested under the same working conditions and on the same amount of raw material, so the test results are comparable. Namely, in the Center for mineral processing, ITNMS, there is a continuous pilot plant for ore flotation. Within this facility, there is a ball mill with an electromagnetic feeder and a spiral classifier that works in a closed cycle with the mill. These devices (feeder and spiral classifier) enable continuous feeding of the mill.

Durability testing of grinding media (their consumption) was performed in the described grinding system under the following experimental conditions:

- continuous wet grinding of slag in the pilot plant mill "Denver", with diameter $D = 30$ cm, length $L = 65$ cm, volume $V = 42.41$ dm^3 .
- solid phase content in the mill: 70%
- volume share of the mill occupied by grinding media: 47%
- bulk mass of grinding media: 4.4 t/m^3

- size of input raw material $F_{80} = 730 \mu\text{m}$
- size of the finally ground product $P_{80} = 104 \mu\text{m}$

Tests were performed through three continuous experiments under the same conditions. The consumption of grinding media is determined by measuring their mass before and after grinding.

2.4 Artificial neural networks characteristics

For the purposes of developing the ANN process models, 3 input and 1 output variable are chosen during the selection of the appropriate influential parameters. These input and output variables are shown in Table 2. Their values are based on experimental data, obtained from the procedure described in previous sections.

Table 2. Input (independent) and output (dependent) parameters

Variable type	Variable	Label in the model	Unit of measurement
Input	Grinding media mass	MGM	kg
Input	Grinding media surface	SGM	cm^2
Input	Grinding media volume	VGM	cm^3
Output	Grinding media consumption per 1 t of slag	CGM	g/t

In order to gain a better insight into the range and characteristics of the input and output variables, Table 3 presents some of the statistical indicators of the associated data sets.

Table 3. Statistical indicators of the input and output variables

Statistical indicator	MGM	SGM	VGM	CGM
MIN	6.449	1379.460	879.560	80.480
MAX	20.077	3470.340	2718.430	246.741
AVERAGE	12.524	2231.717	1701.276	141.290
MEDIAN	10.900	2009.930	1479.700	132.032
STDEV	4.415	748.869	599.711	49.632

At the first step, four different models based on the principle of feed-forward backpropagation neural networks were trained. The ANN models consist of one input layer with three elements (MGM, SGM, VGM), one hidden layer including desired number of nodes, and the output layer where the CGM value is calculated. The logsigmoid and purelin functions are implemented as the activation functions in the hidden layer and the output layer. The optimum NN structure is selected using the "trial and error" method by adjusting the number of neurons in the hidden layer (10, 20, 50 and 100) in order to achieve the best model by minimizing the errors. The widely applied Levenberg Marquardt (LM) algorithm is used for the model training.

At the second step, the most suitable architecture of the network was selected and after that it was trained with the other two backpropagation algorithms: Bayesian Regularization and Scaled Conjugate Gradient. The basic characteristics of all six artificial neural networks are shown in Table 4.

Table 4. ANN based models characteristics

Label	Number of neurons in the hidden layer	Training algorithm	MSE of validation/training	Key epoch
ANN1	10	Levenberg Marquardt	5983.55	15
ANN2	20	Levenberg Marquardt	32.77	5
ANN3	50	Levenberg Marquardt	41.92	44
ANN4	100	Levenberg Marquardt	11.56	3
ANN5	20	Bayesian Regularization	68.94	86
ANN6	20	Scaled Conjugate Gradient	16.81	8

The criteria for choosing the most favorable network architecture were the number of neurons in the hidden layer and the Mean Square Error (MSE) of validation (best validation performance). The number

of neurons in the hidden layer is very important. In addition to complicating the network architecture, too many neurons in the hidden layers may result in overfitting. Overfitting can be spotted when the error on training data decreases to a small value, but the error on the test/validation data increases to a large value. Some reasons for overfitting are: small size of training dataset (such as in this case), very noisy dataset and complex ANN architecture [6].

Mathematically, MSE can be defined as:

$$MSE = \frac{1}{n} \sum_{i=1}^n (X - Y)^2 \quad (1)$$

Where X is the measured value, Y is the predicted value, and n is the number of samples.

Figure 2 shows the best validation/training performance for all 6 models.




Figure 2. Best validation/training performances of ANN models

As can be seen from the Figure 2, ANN1 model shows overfitting. ANN3 model has the higher MSE of validation than ANN2 model. On the other hand, although ANN4 model showed somewhat better properties than ANN2 model, it was taken into account that ANN2 model has a simpler architecture, therefore this architecture (20 neurons in the hidden layer) was adopted for further research. By comparing the performance of models with the same architecture and different training algorithms, it can be seen that the best performance is achieved by the Scaled Conjugate Gradient backpropagation algorithm.

3. RESULTS AND DISCUSSION

3.1 Results of the experimental testing

The results of the experimental procedure are shown in Table 5.

Table 5. Experimental testing results of the grinding media consumption

	I batch	II batch	III batch
Average consumption of balls, kg/t of slag	1.01	1.01	0.95
Average consumption of balls per balls specific surface, g/cm ² /t of slag	0.065	0.065	0.061

As can be concluded from the results in Table 5, all three batches of balls have a very similar average consumption per ton of ground raw material. This consumption is relatively low and ranges around 1 kg/t of Pb-Zn smelting slag.

3.2 Results of the modeling

The results of ANN models predictive properties are expressed through the one of the most important criteria – correlation coefficient (R). The correlation coefficient is a statistical measure of the strength of a linear relationship between two variables (in this case real and predicted values of output). Figure 3 shows the R values for all six models.

The obtained results show that ANN models have very good predictive properties when it comes to predicting grinding media consumption under wet slag grinding conditions. The highest correlation coefficients between actual and predicted values were obtained in the case of ANN3 and ANN4 models, with $R = 0.996$ and $R = 0.994$, respectively. ANN2 and ANN6 models also showed very good predictive capabilities, both with the correlation coefficient of $R = 0.993$.

The ANN5 model has a slightly lower correlation coefficient compared to the previously mentioned models and the same is $R = 0.988$. This means that in the considered case there is no significant difference in the predictive characteristics of the models in relation to the applied training algorithm. The only model that did not show good predictive properties is the ANN1 model with a correlation coefficient of $R = 0.664$. The assumption is that the number of neurons in the hidden layer is insufficient, and that's the reason why overfitting is occurred.




Figure 3. ANN models regression results

4. CONCLUSION

On a sample of Pb-Zn slag from the "Smelter – Probištip Veles" landfill, North Macedonia, durability tests of grinding media were performed. The balls for these tests were obtained by alloying iron with vanadium and niobium. The experimental procedure was carried out under conditions of wet grinding of slag, in a pilot plant mill for continuous grinding, with a working volume of approximately 42.5 dm³. Based on the obtained experimental results, six ANN-based models were developed. By considering the achieved results of pilot plant tests and modeling, the following can be concluded:

- Consumption of grinding media is relatively low, about 1 kg/t per ton of ground material (slag).
- ANN models have good predictive properties when it comes to ball consumption in wet slag grinding conditions.
- Most of the obtained correlation coefficients between actual and predicted values of grinding media consumption are high and above 0.99.
- The minimum number of neurons in the hidden layer should be 20, due to the appearance of overfitting in ANNs with a small number of them.
- Increasing the number of neurons in the hidden layer above 20 does not significantly affect the modeling outcome.
- There is no significant difference in the modeling results when applying different backpropagation training algorithms – Levenberg Marquardt, Bayesian Regularization and Scaled Conjugate Gradient.

Acknowledgment: This paper is part of the investigation according to the research funding agreement financed by the Ministry of Science, Technological Development and Innovation of the Republic of Serbia in 2023 under the number 451-03-47/2023-01/200023 and 451-03-47/2023-01/200052.

REFERENCES

1. Díaz, E., Voisin, L., Kracht, W., Montenegro, V. (2018). Using advanced mineral characterisation techniques to estimate grinding media consumption at laboratory scale. *Minerals Engineering* 121, pp. 180–188.
2. Moema, J., Papo, M., Slabbert, G., Zimba, J. (2009). Grinding media quality assurance for the comminution of gold ores. In: *Proceeding of the World Gold Conference*, pp. 27–33.
3. Aldrich, C. (2013). Consumption of steel grinding media in mills – a review. *Minerals Engineering* 49, pp. 77–91.
4. Matsanga, N., Nheta, W., Chimwani, N. (2023). Grinding Media in Ball Mills-A Review. Preprints (www.preprints.org), Posted: 24 April 2023, doi:10.20944/preprints202304.0811.v1.
5. Azizi, A., Shafaei, S.Z., Noaparast, M., Karamoozian, M. (2015). An investigation of the corrosive wear of steel balls in grinding of sulphide ores. *International Journal of Mining and Geo-Engineering*, Vol.49, No.1, pp.83–91.
6. Jovanović, I., Nakhaei, F., Kržanović, D., Conić, V., Urošević, D. (2022). Comparison of fuzzy and neural network computing techniques for performance prediction of an industrial copper flotation circuit. *Minerals* 2022, 12(12), 1493.
7. Čalić, N. (1990). *Teorijski osnovi pripreme mineralnih sirovina*, Rudarsko-geološki fakultet Beograd, Serbia, 496 p. (In Serbian).
8. Ahmadi, R., Hashemzadehfini, M., Parian, M.A. (2013) Rapid determination of Bond rod-mill work index by modeling the grinding kinetics. *Advanced Powder Technology*, Vol. 24, Iss. 1, pp. 441-445.
9. Bilal, D. (2017). Geometallurgical estimation of comminution indices for porphyry copper deposit applying mineralogical approach. MSc thesis, Luleå University of Technology, Sweden, 89 p.